

# RT-1000 Multichannel IP Configuration



Edited by:

RHOTHETA Elektronik GmbH  
Kemmelpark  
Dr.-Ingeborg-Haeckel-Str. 2  
82418 Murnau  
Germany

Tel.: +49 8841 4879 - 0  
Fax: +49 8841 4879 - 15

Internet: [www.rhotheta.de](http://www.rhotheta.de)  
E-Mail: [email@rhotheta.de](mailto:email@rhotheta.de)

*Copyright © RHOTHETA Elektronik GmbH*  
*All rights reserved*  
- *Issue: 2016/10/28 [Rev 1.01]*  
- *Document-ID: 12-9-1-0015-3-1-64*

**Default IP Configuration**

Nr.	Component	Device	User	Password	IP Address
1	DF-Control System	MOXA NPort 5600			
2	UPS	EATON UPS			
3	Network Switch (Cabinet)				
4	Network Switch (Tower)				
5	Industrial PC (Cabinet)	DF-LOCAL-PC			
6	DSL Modem A1 (Cabinet)	SHDSL Modem Orion 3			
7	DSL Modem B1 (Cabinet)	SHDSL Modem Orion 3			
8	DSL Modem A2 (Tower)	SHDSL Modem Orion 3			
9	DSL Modem B2 (Tower)	SHDSL Modem Orion 3			

**Default DF Channel Configuration**

Nr.	Component	Device	Channel	IP Address	Port
1	DF-Control System	MOXA NPort 5600	1		
2	DF-Control System	MOXA NPort 5600	2		
3	DF-Control System	MOXA NPort 5600	3		
4	DF-Control System	MOXA NPort 5600	4		
5	DF-Control System	MOXA NPort 5600	5		
6	DF-Control System	MOXA NPort 5600	6		
7	DF-Control System	MOXA NPort 5600	7		
8	DF-Control System	MOXA NPort 5600	8		

**Default Audio Rack (Instreamer) Configuration**

Nr.	Component	Device	Channel	IP Address	Port
1	Audio Module	BARIX Instreamer	1		
2	Audio Module	BARIX Instreamer	2		
3	Audio Module	BARIX Instreamer	3		
4	Audio Module	BARIX Instreamer	4		
5	Audio Module	BARIX Instreamer	5		
6	Audio Module	BARIX Instreamer	6		
7	Audio Module	BARIX Instreamer	7		
8	Audio Module	BARIX Instreamer	8		

**Default Audio Ex-Streamer Configuration**

Nr.	Component	Device	Channel	IP Address	Port
1	Audio Ex-Streamer	BARIX Ex-Streamer	1		
2	Audio Ex-Streamer	BARIX Ex-Streamer	2		
3	Audio Ex-Streamer	BARIX Ex-Streamer	3		
4	Audio Ex-Streamer	BARIX Ex-Streamer	4		
5	Audio Ex-Streamer	BARIX Ex-Streamer	5		
6	Audio Ex-Streamer	BARIX Ex-Streamer	6		
7	Audio Ex-Streamer	BARIX Ex-Streamer	7		
8	Audio Ex-Streamer	BARIX Ex-Streamer	8		

**Default DF PTT (Ground Transmitter Suppression) Configuration**

Nr .	Component	Device	Input	Frequency	IP Address	Port
1	PTT Module	BRAINBOXES Ethernet to Remote I/O				
2	PTT Module	BRAINBOXES Ethernet to Remote I/O				
3	PTT Module	BRAINBOXES Ethernet to Remote I/O				
4	PTT Module	BRAINBOXES Ethernet to Remote I/O				
5	PTT Module	BRAINBOXES Ethernet to Remote I/O				
6	PTT Module	BRAINBOXES Ethernet to Remote I/O				
7	PTT Module	BRAINBOXES Ethernet to Remote I/O				
8	PTT Module	BRAINBOXES Ethernet to Remote I/O	,			

Please enter your own IP addresses and put this document into the DF Main Unit to your manual.

Default IP Configuration					
Nr.	Component	Device	User	Password	IP Address
1	DF-Control System	MOXA NPort 5600			
2	UPS	EATON UPS			
3	Network Switch (Cabinet)				
4	Network Switch (Tower)				
5	Industrial PC (Cabinet)	DF-LOCAL-PC			
6	DSL Modem A1 (Cabinet)	SHDSL Modem Orion 3			
7	DSL Modem B1 (Cabinet)	SHDSL Modem Orion 3			
8	DSL Modem A2 (Tower)	SHDSL Modem Orion 3			
9	DSL Modem B2 (Tower)	SHDSL Modem Orion 3			

Default DF Channel Configuration					
Nr.	Component	Device	Channel	IP Address	Port
1	DF-Control System	MOXA NPort 5600	1		
2	DF-Control System	MOXA NPort 5600	2		
3	DF-Control System	MOXA NPort 5600	3		
4	DF-Control System	MOXA NPort 5600	4		
5	DF-Control System	MOXA NPort 5600	5		
6	DF-Control System	MOXA NPort 5600	6		
7	DF-Control System	MOXA NPort 5600	7		
8	DF-Control System	MOXA NPort 5600	8		

**Default Audio Rack (Instreamer) Configuration**

Nr.	Component	Device	Channel	IP Address	Port
1	Audio Module	BARIX Instreamer	1		
2	Audio Module	BARIX Instreamer	2		
3	Audio Module	BARIX Instreamer	3		
4	Audio Module	BARIX Instreamer	4		
5	Audio Module	BARIX Instreamer	5		
6	Audio Module	BARIX Instreamer	6		
7	Audio Module	BARIX Instreamer	7		
8	Audio Module	BARIX Instreamer	8		

**Default Audio Ex-Streamer Configuration**

Nr.	Component	Device	Channel	IP Address	Port
1	Audio Ex-Streamer	BARIX Ex-Streamer	1		
2	Audio Ex-Streamer	BARIX Ex-Streamer	2		
3	Audio Ex-Streamer	BARIX Ex-Streamer	3		
4	Audio Ex-Streamer	BARIX Ex-Streamer	4		
5	Audio Ex-Streamer	BARIX Ex-Streamer	5		
6	Audio Ex-Streamer	BARIX Ex-Streamer	6		
7	Audio Ex-Streamer	BARIX Ex-Streamer	7		
8	Audio Ex-Streamer	BARIX Ex-Streamer	8		

**Default DF PTT (Ground Transmitter Suppression) Configuration**

Nr .	Component	Device	Input	Frequency	IP Address	Port
1	PTT Module	BRAINBOXES Ethernet to Remote I/O				
2	PTT Module	BRAINBOXES Ethernet to Remote I/O				
3	PTT Module	BRAINBOXES Ethernet to Remote I/O				
4	PTT Module	BRAINBOXES Ethernet to Remote I/O				
5	PTT Module	BRAINBOXES Ethernet to Remote I/O				
6	PTT Module	BRAINBOXES Ethernet to Remote I/O				
7	PTT Module	BRAINBOXES Ethernet to Remote I/O				
8	PTT Module	BRAINBOXES Ethernet to Remote I/O	,			